
# Bring Home All-year Comfort and Convenience.



**VOLTAS** | FIXED SPEED SPLIT AC





## **VOLTAS**

## 7//// COMFORT



#### High Ambient Cooling

Gives you instant cooling at even 50°c.




#### Active Dehumidifier

Controls the indoor humidity during monsoons.



#### Instant Cooling

Turbo mode cools the room instantly.



#### Antimicrobial Air Filtration

It kills microbes which include germs, bacteria and fungi.



# Anti-Corrosive Coating on Eva (HP Side)

Enhances life by preventing corrosion on coil.



#### 100% Copper

Copper condenser coil is more durable & delivers efficient cooling.

#### 3 Star Fixed









Model Type		123 Vectra Elegant(4503469) Voltas SAC	183 Vectra Elegant(4503470)  Voltas SAC	183 Vectra Prism(4503496) Voltas SAC	243 Vectra Plus(4503471) Voltas SAC
Star Rating	Stars	3	3	3	3
Rated Cooling Capacity (100%)	W	3450	4900	5000	6500
Rated Current - Cooling	Amps	4.0	5.7	5.8	7.5
Rated Power Input - Cooling (100%)	Watt	905	1289	1315	1710
Rated ISEER	W/W	3.81	3.80	3.80	3.80
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow Volume - Indoor	СМН	620	930	930	1400
*Noise Level - Indoor	dB(A)	44/43/42/38	47/45/43/38	47/45/43/38	51/49/46/44
Operation		LCD Remote	LCD Remote	LCD Remote	LCD Remote
Compressor Type		High EER Rotary	High EER Rotary	High EER Rotary	High EER Rotary
Max operating Ambient Temp Range		50° C	50° C	50° C	50° C
Refrigerant Gas		R32	R32	R32	R32
Indoor Unit Dimension (WxHxD)	cm	80x26.5x21	96x31.7x23.5	96x31.7x23.5	110x33x25
Indoor Unit Net / Gross Weight	Kg	8.3/10.5	11.1/13.8	11.8/14.3	13.7/17.3
Outdoor Unit Dimension (WxHxD)	cm	83.5x55.5x29.5	83.5x55.5x29.5	87.0x60.0x35.5	90x65x36.5
Outdoor Unit Net / Gross Weight	Kg	29.2/33.6	36/42	37.5/43.2	42.9/48.9
Connecting Pipe	type	Cu-Cu(12.7mm & 6.35mm)	Cu-Cu(12.7mm & 6.35mm)	Cu-Cu(12.7mm & 6.35mm)	Cu-Cu(15.87mm & 6.35mm)
Condenser Coil		Copper	Copper	Copper	Copper
Filter		<b>Dual Filter Protection</b>	Dual Filter Protection	Dual Filter Protection	Dual Filter Protection
Evaporator Fin		Blue	Blue	Blue	Blue
Anti - Corrosive Coating (IDU HP Side)		Yes	Yes	Yes	Yes
LED Display		Yes	Yes	Yes	Yes
Self Diagnosis		Yes	Yes	Yes	Yes
Low Gas Diagnosis		Yes	Yes	Yes	Yes
Auto Restart		Yes	Yes	Yes	Yes
Sleep Mode		Yes	Yes	Yes	Yes
Dual Temp Display		Yes	Yes	Yes	Yes

<sup>\*</sup> Noise level reflects the levels in Anechoic Chamber. All above performance data are as per IS 1391 Rated conditions. As a continuing policy of product innovation at Voltas, the design and specification are subject to change without prior notice. Product images are for illustrative purposes only and may differ from the actual product.

# **VOLTAS | FIXED SPEED SPLIT AC**









**HIGH AMBIENT** COOLING



**ACTIVE DEHUMIDIFIER** 



INSTANT COOLING



ANTI-MICROBIAL **AIR FILTRATION** 



**LOW GAS** DIAGNOSIS



Visit us at www.myvoltas.com To locate your nearest store, log on to: www.myvoltas.com/store-locator Voltas 24x7 Customer Service - 1860 599 4555, 9650694555 For product registration, SMS <WTA> to 9289525321 Buy only genuine Voltas stabilizers.

Follow us at









Corporate Head Office: Voltas Limited, Voltas House A, Dr. Babasaheb Ambedkar Road, Chinchpokli, Mumbai - 400035, Phone: 022- 66656666. Delhi: Voltas Limited, A - 43, Mohan Co-Operative Industrial Estate, Mathura Road, New Delhi - 110044. Phone: 011-66505550. Haryana: Voltas Limited, D-15, R. S. Plaza, 3rd Floor, Raj Nagar, RDC, Ghaziabad - 201001. Ph. 0120-6404801. Chandigarth - 160002. Phone: 0172-4111800. Lucknow Voltas Limited, D-15, R. S. Plaza, 3rd Floor, Raj Nagar, RDC, Ghaziabad - 201001. Ph. 0120-6404801. A top of the Company of th

O In India, E-Waste (Management and Handling) Rules 2016 f/w E-Waste Management Amendment Rules 2018 has been notified by the Ministry of Environment, Forests and Climate Change, Government of India. Voltas Limited (Voltas) stands committed to implement E-Waste Rules. Voltas has done tie-up with the government authorised E-Waste Recycler for facilitating our Channel partners/customers to dispose and/or discard Electrical and Electronic Products after its end-of-life (when a product/part is non-operational or non-repairable) and including spare parts. The authorised recycler has expertise in assisting Voltas in fulfilling their compliances related to EPR and E-waste Management. Channel partners/customers need to get in touch with Voltas Call Centre (9650694555) to dispose and/or discard Electrical and Electronic Products after its end-of-life. Channel partners/Consumers should contribute to resource conservation and prevent potential environmental problems by a simple action - the proper depositing of their old consumer durable products, its accessories or defective spares with authorised recyclers. E-waste should be disposed of separately from the general waste stream via designated collection facilities identified by Voltas.

\*Features are available in select models only. \*\*As per third party report. T&C apply. As a continuous policy of product innovations at Voltas, design and specifications are subject to change without prior notice.