

A **TATA** Product

VOLTAS

Bring Home All-year
Comfort and Convenience.





VOLTAS | FIXED SPEED WINDOW AC

VOLTAS FIXED SPEED
WINDOW AC RANGE **2023**




LEADERS in AC Technology




High Ambient Cooling

Gives you instant cooling.




Active Dehumidifier

Controls the indoor humidity during monsoons.



Instant cooling

Turbo mode cools the room instantly.



100% Copper*

Copper condenser coil is more durable & delivers efficient cooling.



Anti-Rust Coating on Eva HP Side

Enhances life by preventing corrosion on coil.

*Features are available in select models only.




Sleep Mode

Maintains a comfortable temperature by cutting excessive cooling and power consumption, so you sleep comfortably all night.



Glow Light Buttons

Glow-in-the-dark remote buttons to guide you when it's dark.




Uni Display

Its Uni Display feature lets you view the set temperature of the room.



Remote Lock Feature

Lock your current setting using the key combination buttons. To unlock, press the same buttons again.




Eco Saver Mode

Optimizes the power consumption and saves electricity.



Silent Operation

Cools super silently.



CONVENIENCE



Self Diagnosis

Abnormalities and failures are checked by the AC and an error code is displayed.

Technical Specifications

2 STAR



Model		122 Vectra Platina (4011477)	242 Vectra Plus (4011465)
Model Type		Voltas WAC	Voltas WAC
Star Rating	Stars	2	2
Rated Cooling Capacity (100%)	Watt	3100	5800
Rated Current Cooling	Amps	4.6	8.8
Rated Power Input Cooling (100%)	Watt	1050	1993
Rated ISEER	W/W	2.95	2.91
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow Volume - Indoor	CMH	500	720
*Noise Level - Indoor	..dB(A)	54	58
Operation		LCD Remote	LCD Remote
Compressor Type		High EER Rotary	High EER Rotary
Max operating Ambient Temp Range		48° C	48° C
Refrigerant		R-32	R-32
Unit Dimension (WxHxD)	cm	55.8x37.5x58	66x43x80.5
Unit Net / Gross Weight	Kg	39.5/44.5	58/63.5
Condenser Coil		Copper	Copper
Filters		Anti Dust	Anti Dust
Anti-Rust Coating (EVA HP Side)		Yes	Yes
Auto Restart		Yes	Yes
Sleep Mode		Yes	Yes
Self Diagnosis		Yes	Yes
Energy Saver		Yes	Yes

3 STAR



Model		123 Vectra Platina (4011481)	183 Vectra Pearl (4011475)
Model Type		Voltas WAC	Voltas WAC
Star Rating	Stars	3	3
Rated Cooling Capacity (100%)	Watt	3100	4750
Rated Current Cooling	Amps	4.4	6.7
Rated Power Input Cooling (100%)	Watt	1000	1532
Rated ISEER	W/W	3.10	3.1
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow Volume - Indoor	CMH	500	720
*Noise Level - Indoor	..dB(A)	54	56
Operation		LCD Remote	LCD Remote
Compressor Type		High EER Rotary	High EER Rotary
Max operating Ambient Temp Range		48° C	48° C
Refrigerant		R-32	R-32
Unit Dimension (WxHxD)	cm	55.8x37.5x58	66x43x74.5
Unit Net / Gross Weight	Kg	39.5/44.5	49/54
Condenser Coil		Copper	Copper
Filters		Anti Dust	Anti Dust
Anti-Rust Coating (EVA HP Side)		Yes	Yes
Auto Restart		Yes	Yes
Sleep Mode		Yes	Yes
Self Diagnosis		Yes	Yes
Energy Saver		Yes	Yes

* Noise level reflects the levels in Anechoic Chamber. All above performance data are as per Rated conditions of IS 1391. As a continuing policy of product innovation at Voltas, the design and specification are subject to change without prior notice. Product images are for illustrative purposes only and may differ from the actual product.

Technical Specifications



3 STAR

Model		183 Vectra Elite (4011473)	183 Vectra Elegant (4011464)
Model Type		Voltas WAC	Voltas WAC
Star Rating	Stars	3	3
Rated Cooling Capacity (100%)	Watt	4950	4800
Rated Current- Cooling	Amps	6.9	6.8
Rated Power Input- Cooling (100%)	Watt	1571	1548
Rated ISEER	W/W	3.15	3.10
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow Volume - Indoor	CMH	700	700
*Noise Level - Indoor	..dB(A)	56	56
Operation		LCD Remote	LCD Remote
Compressor Type		High EER Rotary	High EER Rotary
Max operating Ambient Temp Range		48° C	48° C
Refrigerant		R-32	R-32
Unit Dimension (WxHxD)	cm	66x43x70.5	66x43x75
Unit Net / Gross Weight	Kg	50/56.5	52/57
Condenser Coil		Copper	Copper
Filters		Anti Dust	Anti Dust
Anti-Rust Coating (EVA HP Side)		Yes	Yes
Auto Restart		Yes	Yes
Sleep Mode		Yes	Yes
Self Diagnosis		Yes	Yes
Energy Saver		Yes	Yes



3 STAR

Model		183 Vectra Prism (4011482)
Model Type		Voltas WAC
Star Rating	Stars	3
Rated Cooling Capacity (100%)	Watt	4850
Rated Current- Cooling	Amps	6.8
Rated Power Input- Cooling (100%)	Watt	1539
Rated ISEER	W/W	3.15
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase
Air Flow Volume - Indoor	CMH	800
*Noise Level - Indoor	..dB(A)	56
Operation		LCD Remote
Compressor Type		High EER Rotary
Max operating Ambient Temp Range		48° C
Refrigerant		R-32
Unit Dimension (WxHxD)	cm	66x42.6x78.5
Unit Net / Gross Weight	Kg	52.8/59.3
Condenser Coil		Copper
Filters		Anti Dust
Anti-Rust Coating (EVA HP Side)		Yes
Auto Restart		Yes
Sleep Mode		Yes
Self Diagnosis		Yes
Energy Saver		Yes

* Noise level reflects the levels in Anechoic Chamber. All above performance data are as per Rated conditions of IS 1391. As a continuing policy of product innovation at Voltas, the design and specification are subject to change without prior notice. Product images are for illustrative purposes only and may differ from the actual product.



**HIGH AMBIENT
COOLING**




**ACTIVE
DEHUMIDIFIER**



**INSTANT
COOLING**



**ANTI-RUST
COATING on EVA
(HP SIDE)**



Voltas 24x7 Customer Service - 1860 599 4555, 9650694555.
For product registration SMS <WTA> to 9289525321.
Buy only genuine Voltas stabilizers.

Visit us at www.myvoltas.com
To locate your nearest store,
log on to: www.myvoltas.com/store-locator

Follow us at My Voltas My Voltas My Voltas
 Voltas Limited My Voltas

Buy online at
voltas.com

Corporate Head Office: Voltas Limited, Voltas House A, Dr. Babasaheb Ambedkar Road, Chinchpokli, Mumbai - 400033, Phone: 022- 66656666. **Delhi:** Voltas Limited, A - 43, Mohan Co-Operative Industrial Estate, Mathura Road, New Delhi - 110044, Phone: 011-66505550. **Haryana:** Voltas Limited, A - 43, Mohan Co-Operative Industrial Estate, Mathura Road, New Delhi, Phone: 011-66505550. **Ghaziabad:** Voltas Limited, D-15, R.S. Plaza, 3rd Floor, Raj Nagar, RDC, Ghaziabad - 201001, Ph. 0120-6404801. **Chandigarh:** Voltas Limited, Plot No. 194-195, First Floor, Industrial Area Phase-2, Chandigarh - 160002, Phone: 0172- 4111800. **Lucknow:** Voltas Limited, Shalimar Titanium Block - C, 4th Floor, Office Nos. 410 - 412, Plot No. Tcg -1/1, Opp. Indira Gandhi Pratishthan, Vibhuti Khand, Gomti Nagar, Lucknow - 226 010, Phone: 0522-6566961. **Jaipur:** Voltas Limited, Diamond Tower, 201-203, Purani Chungi, Ajmer Road, Jaipur-302021, Phone: 0141-2972015. **Hyderabad:** Voltas Ltd: 7-2-1735, Sanath Nagar, Opp Neelima Hospital, Hyderabad- 500018, Ph: 040 - 66746818, For Institutional Enquiry - Ph: 9603926217. **Vijayawada:** Voltas Ltd, 23-24-29, Beside Nadars Function Hall, Bhagat Singh Road Corner, Vijayawada - 520011, For Institutional Enquiry - Ph: 866511189. **Bangalore:** Voltas Ltd, 7th Floor, Pride Hulkul, Lalbagh Road, Bangalore -560027, For Corporate Enquiries , Ph: 8239439016. **Chennai:** Voltas Limited, No 624 , Anna Salai , Teynampet , Chennai 600018 Ph. 044 -66760437. **Kochi:** Voltas Limited, Shema Building, Door No.39/4166, M G Road, Ravipuram, Kochi, Kerala -682016, Ph:0484 6605555. **Coimbatore:** Voltas Limited, 1413, Trichy Road, Coimbatore-641018 ,Phone-0422-6619051 / 31. **Mumbai & Thane:** Voltas Limited, Voltas House B, 3rd Floor, T.B. Kadam Marg, Chinchpokli, Mumbai - 400033, Phone: 9833701673. **Pune:** Voltas Limited, behind Adi Marbles, Pune International Airport Area, Chandan Nagar, Pune, Maharashtra 411014 Phone: 9689680036. **Nagpur:** Voltas Ltd, Adisun Trade Center, 5th Floor, Plot No-38, Dhaga Layout, Near Crazy Castle, Nagpur-440010, Phone: 8888828894. **Ahmedabad:** Voltas Limited, A-301, Shivalki Corporate Park, Shivrangini Crossroad Satellite, Ahmedabad- 380015, Phone: 0790-66301190/91. **Indore:** 501-B, 5th Floor, Nrk Business Park, Block B-1, Pu-4, Sch.No.54 Vijay Nagar Square, A,B,Road, Indore-452010, M.P. Phone: 0731-4043512 & 4046393. **Raipur:** Voltas Limited, Shop No. 6008, 6009, 6th floor, Currency Tower, near VIP Chowk, Raipur, Chhattisgarh, 492001, Ph. 7712990886. **Kolkata:** Voltas Limited, Unit No. 805, 8th Floor, Godrej Waterside Tower - 2, Plot No. - 5, Block DP, Sector - V, Salt Lake, Kolkata - 700091, Phone: 033-66266200-205. For Institutional Inquiry - 9007014430. **Patna:** Voltas Limited, 4th Floor, Block- B, SAI Corporate Park, Baily Road, Rukanpura, Patna, Bihar-800014. For Institutional Inquiry 9007014430. **Jamshedpur:** Voltas Limited, Voltas House, 3rd Floor, Main Road, Bistupur, Jamshedpur - 831001, Phone: 9040408545, 9830488691 For Institutional Inquiry -9007014430. **Bhubaneswar:** Voltas Limited, B-15, 2nd Floor, Arihant Plaza, Shaheed Nagar, Bhubaneswar-751007, Phone: 7077284059, 9937140010 For Institutional Inquiry 9007014430. **Guwahati:** Voltas Limited, Upasana Palace Building, 6th Floor, Dr. Rajendra Prasad Road, Near Ganesh Mandir, Ganeshguri, Guwahati - 781006, Phone: 9706982628 For Institutional Inquiry -9007014430.

⚠️ In India, E-Waste (Management and Handling) Rules 2016 r/w E-Waste Management Amendment Rules 2018 have been notified by the Ministry of Environment, Forests and Climate Change, Government of India. Voltas Limited (Voltas) stands committed to implement E-Waste Rules. Voltas has done tie-up with the government authorised E-Waste Recycler for facilitating our Channel partners/customers to dispose and/or discard Electrical and Electronic Products after its end-of-life (when a product/part is non-operational or non-repairable) and including spare parts. The authorised recycler has expertise in assisting Voltas in fulfilling their compliances related to EPR and E-waste Management. Channel partners/customers need to get in touch with Voltas Call Centre (9650694555) to dispose and/or discard Electrical and Electronic Products after its end-of-life. Channel partners/Customers should contribute to resource conservation and prevent potential environmental problems by a simple action - the proper depositing of their old consumer durable products, its accessories or defective spares with authorised recyclers. E-waste should be disposed of separately from the general waste stream via designated collection facilities identified by Voltas. *Features are available in select models only. **As per third party report. T&C apply. As a continuous policy of product innovations at Voltas, design and specifications are subject to change without prior notice.