

A **TATA** Product

VOLTAS

**AB GARMİYON KE MAZEY LO,
BINA GARMİ KE.**




VOLTAS *FreshAir*®
Coolers

Range 2023

VOLTAS FreshAir® Coolers

Presenting the all-new Voltas Fresh Air Coolers with the unique Smart Humidity Controller which optimizes the humidity in your room. 3-sided Honeycomb Padding for the ultimate cooling experience. Cool large spaces easily, with Turbo Air Throw. Whatever be the type of heat outside, you stay comfortable inside.




Eco Cool Mode

Economic mode feature optimally saves water and efficiently consumes power.




Works on Inverter

Consumes less electricity and works on home inverter.



Honeycomb Cooling Pads

More durable than conventional cooling pads. They provide uniform cooling without letting dirt and sediments to get deposited.




Turbo Air Throw

Large fan size delivers powerful air throw to cool large spaces.




Remote Control

Hassle free operation and convenience of use.



Pre-soaking

Pre-cools the Honeycomb pads before starting the fan, releasing cool and fresh air.



Motor with Thermal Overload

Designed to protect the motor from damage in the event of short circuit, overloading or overheating.




7 Hours Timer

Gives you uninterrupted sleep without having to switch the cooler on and off.



Mosquito Repellent

Protects from mosquito borne diseases by resisting mosquito breeding and keeping them away.





WiFi Controller

IOT-enabled Smart Air Cooler enables the controlling from anywhere in the world through a mobile app.



Fully Collapsible Louvers

Prevent dust and insects from entering inside the air cooler.



Smart Humidity Controller

**AB GARMİYON KE MAZEY LO,
BINA GARMİ KE.**

ROOM AIR COOLER

WINDSOR

- Honeycomb + Wood Wool Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 42 sq.m
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak^
- Mosquito Repellent
- Twin Blower



WINDSOR
65/85

WINDSOR
65T/85T
[*,**,^]

DESERT COOLER

JETMAX

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 44 sq.m
- Works on Inverter
- Touch Panel**
- Smart Humidity Controller#
- Eco Cool Mode*
- Pre Soak^
- Sleep Mode##
- WiFi Connect^^



JETMAX
54,70,90

JETMAX
54T,70T,90T
[*,**,^]

JETMAX
70E Connect
[#,##,^^]

DESERT COOLER

EPICOOOL

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- Rooms upto 45.5 sq.m
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak^
- Fully Collapsible Louvers



EPICOOOL
70

EPICOOOL
70 T
(**, *, ^)

EPICOOOL
54

EPICOOOL
54 T
(**, *, ^)


EPICOOOL
90

EPICOOOL
90 T
(**, *, ^)

DESERT COOLER

MEGA

- Honeycomb or Wood Wool Pad for Long Lasting Cooling
- For Rooms upto 44 sq.m
- Motor with Thermal Overload Protection
- Works on Inverter
- Eco Cool Mode*



MEGA
70/70WW

MEGA
70E
(*)

DESERT COOLER

GRAND

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 40 sq.m
- Works on Inverter
- Eco Cool Mode*



GRAND
52/72/92

GRAND
52E/72E/92E
(*)

DESERT COOLER

VICTOR

- Wood Wool Pad for Optimum Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 43 sq.m
- Works on Inverter



VICTOR 55

VICTOR 47

TOWER COOLER

SLIMM

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- Sleek & Compact Design
- For Rooms upto 21 sq.m
- Works on Inverter
- Ice Chamber
- Touch Panel**
- Dust Filter for Fresh Air
- Eco Cool Mode*
- Pre Soak^



SLIMM
35/45/55

SLIMM
35T/45T/55T
(* , ** , ^)

PERSONAL COOLER

ALFA

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 21 sq.m
- Works on Inverter
- Dust Filter for Fresh Air
- Eco Cool Mode*
- Ice Chamber



ALFA 15/28

ALFA 15E/28E
(*)

PERSONAL COOLER

ALFA FRESH

- DUAL USES - As Air Cooler Air Purifier - as per the users requirement
- Advanced Filtration Through - Dust Filter Activated Carbon and Composite Hepa Filter
- For Rooms upto 21 sq.m
- Motor with Thermal Overload Protection
- Works on Inverter
- Honeycomb Pad for Long Lasting Cooling



ALFA FRESH 28

PERSONAL COOLER

WINDSOR

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 22 sq.m
- Works on Inverter
- Dust Filter for Fresh Air
- Ice Chamber
- Touch Panel **
- Pre Soak ^
- Fully Collapsible Louvers



WINDSOR 25/35

WINDSOR 25T/35T
(**, ^)

WINDOW COOLER

WIND

- Available in both Honeycomb and Wood Wool variants
- For Rooms upto 35 sq.m
- Motor with Thermal Overload Protection
- Works on Inverter
- Trolley for Easy Mobility (Optional)



WIND 54


WIND 45

WIND 52 ECO


ROOM AIR COOLER

WINDMAX

- Honeycomb + Wood Wool Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 45 sq.m
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak ^
- Mosquito Repellent
- Twin Blower
- Large 115L Tank Capacity



WINDMAX 115



WINDMAX 115 T
[**,*,^]

DESERT COOLER

VELOCITY

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection.
- Turbo Air Throw
- Works on Inverter
- Ice Chamber
- Smart Humidity Controller
- Dust Filter for Fresh Air
- Large 110L Tank Capacity
- For Rooms upto 60 Sq.m
- Auto Drain
- Fully Collapsible Louvers



VELOCITY 110



		Tower Coolers		Personal Coolers			
Model		Slimm 35, 45, 55	Slimm 35T, 45T, 55T	Alfa 15/28	Alfa 15E, 28E	Alfa Fresh 28	Windsor 25, 35
Unit SAP Code		4810358/59/60	4810364/65/68	4810321/23	4810322/24	4810370	4810380/ 384
For rooms upto*	sq.m	17-21/ 18-22/ 19-23	17-21/ 18-22/ 19-23	15-17/ 19-23	15-17/ 19-23	21	18-22/ 20-24
Air Throw Distance @0.5m/s	m	7.5	7.5	9.8	9.8	9.8	11.5
Tank Capacity	Litres	35/45/55	35/45/55	15/28	15/28	28	25/35
Rated Power Input- Cooling	Watt	140	140	120	120	120	152
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	32x110x32/32x118x-32/32x128x32	32x110x32/32x118x-32/32x128x32	46x66x34/ 46x82x34	46x66x34/ 46x82x34	46x82x34	46x68x36/ 46x71x36
Packing Dimensions (WxHxD)	cm	46x121.5x38/46x-128.5x38/46x139.5x38	46x121.5x38/46x-128.5x38/46x139.5x38	48x75x38.5/ 48x88x38.5	48x75x38.5/ 48x88x38.5	48x88x38.5	51.6x73.7x41.3/ 51.6x81.7x41.3
Net Weight	Kg	11.5/11.7/12	11.5/11.7/12	9/9.2	9/9.2	9.2	8.8/9.2
Gross Weight	Kg	14.7/14.9/15.2	14.7/14.9/15.2	11/ 11.1	11/ 11.1	11.1	10.5/11
Operation		Mechanical	Electronic Touch	Mechanical	Electronic	Mechanical	Mechanical
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Blower	Blower	Blower	Blower
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	Yes	No	No
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		Yes	Yes	Yes	Yes	Yes	Yes
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	Yes	No	No	No	No
Dust Filter		Yes	Yes	Yes	Yes	Yes	Yes
Eco-Cool mode		No	Yes	No	Yes	No	No
Pre Soak		No	Yes	No	No	No	No
Wi-Fi mode		No	No	No	No	No	No
Sleep Mode		No	No	No	No	No	No
Fully Collapsible Louvers		Yes	Yes	No	No	No	Yes
Mosquito Repellent		No	No	No	No	No	No
Air purifier mode		No	No	No	No	Yes	No
Air Purifier Filter **		No	No	No	No	Composite HEPA Filter	No
HEPA Filter Grade		No	No	No	No	H-10	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	> 85 %	No
Activated Carbon Filter		No	No	No	No	Yes	No



		Personal Coolers		Window Coolers		Desert Coolers	
Model		Windsor 25T, 35T	Wind 45WW/ 45HC	Wind 54 WW, 54 HC	Wind 52 ECO	JetMax 54	JetMax 70
Unit SAP Code		4810383/ 385	4810325/26	4810327/28	4810369	4810347	4810348
For rooms upto*	sq.m	18-22/ 20-24	21-25	32-38	24-28	40-48	40-48
Air Throw Distance @0.5m/s	m	11.5	9.1	15.2	10.6	14	14
Tank Capacity	Litres	25/35	45	54	52	54	70
Rated Power Input- Cooling	Watt	152	240	300	200	185	185
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	46x68x36/ 46x71x36	56x46.5x50.5	65x61x51	64.5x56x54	60x107.5x45	60x113.5x45
Packing Dimensions (WxHxD)	cm	51.6x73.7x41.3/ 51.6x81.7x41.3	64.5x52x56.5	70x75x54	71x63.5x59	68x113x50	68x119x50
Net Weight	Kg	8.8/9.2	11.5	13	12.9	16	16.5
Gross Weight	Kg	10.5/11	14.5	15	16.26	20	20.5
Operation		Electronic Touch	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Cooling Media		Honeycomb	Wood Wool / Honeycomb	Wood Wool / Honeycomb	Wood Wool	Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Blower	Blower	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		Yes	No	No	No	No	No
Castor Wheels		Yes	No	No	No	Yes	Yes
Trolley		No	Yes	Yes	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		Yes	No	No	No	No	No
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	No	No	No	No	No
Dust Filter		Yes	No	No	No	No	No
Eco-Cool mode		No	No	No	No	No	No
Pre Soak		Yes	No	No	No	No	No
Wi-Fi mode		No	No	No	No	No	No
Sleep Mode		No	No	No	No	No	No
Fully Collapsible Louvers		Yes	No	No	No	No	No
Mosquito Repellent		No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No


*T & C Apply. Room Height assumed as 3mtr **Air cooler can be used as Air Purifier after replacing Honeycomb Pad with composite filter. *Wifi Operation through Mobile Application "Voltas Smart". As a continuing policy of product innovation at Voltas, the design and specification are subjected to change without prior notice. Product images are for illustrative purposes only and may differ from the actual product. The above data is under ideal test conditions and may change based on the room conditions and temperature. All specifications are estimates and may vary within +/- 15% of the above data. Tank capacity is upto the brim.




		Desert Coolers						
Model		JetMax 90	JetMax 54T	JetMax 70T	JetMax 90T	JetMax 70 EConnect	Epicool 54	Epicool 70
Unit SAP Code		4810349	4810351	4810352	4810357	4810202	4810371	4810372
For rooms upto*	sq.m	44	40-48	40-48	40-48	40-48	45.5	45.5
Air Throw Distance @0.5m/s	m	14	14	14	14	14	14	14
Tank Capacity	Litres	90	54	70	90	70	54	70
Rated Power Input- Cooling	Watt	185	185	185	185	185	185	185
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	60x125x45	60x107.5x45	60x113.5x45	60x125x45	60x113.5x45	60x107.5x45	60x113.5x45
Packing Dimensions (WxHxD)	cm	68x130x50	68x113x50	68x119x50	68x130x50	68x119x50	68x113x50	68x119x50
Net Weight	Kg	18	16	16.5	18	16.5	16	17
Gross Weight	Kg	23	20	20.5	23	20.5	20	21.5
Operation		Mechanical	Electronic Touch	Electronic Touch	Electronic Touch	Electronic	Mechanical	Mechanical
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Fan	Fan	Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	No
Remote Controller		No	Yes	Yes	Yes	Yes	No	No
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No	No	No
Smart Humidity Control		No	No	No	No	Yes	No	No
Touch Control		No	Yes	Yes	Yes	No	No	No
Dust Filter		No	No	No	No	No	No	No
Eco-Cool mode		No	Yes	Yes	Yes	No	No	No
Pre Soak		No	Yes	Yes	Yes	No	No	No
Wi-Fi mode		No	No	No	No	Yes#	No	No
Sleep Mode		No	No	No	No	Yes	No	No
Fully Collapsible Louvers		No	No	No	No	No	Yes	Yes
Mosquito Repellent		No	No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No	No



		Desert Coolers					
Model		Epicool 90	Epicool 54T	Epicool 70T	Epicool 90T	Mega 70HC, 70WW	Mega 70E
Unit SAP Code		4810373	4810374	4810375	4810376	4810345/363	4810346
For rooms upto*	sq.m	45.5	45.5	45.5	45.5	44/35.5	44
Air Throw Distance @0.5m/s	m	14	14	14	14	13.7	13.7
Tank Capacity	Litres	90	54	70	70	70	70
Rated Power Input- Cooling	Watt	185	185	185	185	175	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	60x120.2x45	60x107.5x45	60x113.5x45	60x113.5x45	65x96.5x51	65x96.5x51
Packing Dimensions (WxHxD)	cm	68x125.5x50	68x113x50	68x119x50	68x119x50	70x110x54.5	70x110x54.5
Net Weight	Kg	18	16	17	18	18	18
Gross Weight	Kg	23	20	21.5	23	22	22
Operation		Mechanical	Electronic Touch	Electronic Touch	Electronic Touch	Mechanical	Electronic
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb / Wood Wool	Honeycomb
Fan/Blower		Fan	Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	Yes	Yes	No	Yes
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	Yes	Yes
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No	No
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	Yes	Yes	Yes	No	No
Dust Filter		No	No	No	No	No	No
Eco-Cool mode		No	Yes	Yes	Yes	No	Yes
Pre Soak		No	Yes	Yes	Yes	No	No
Wi-Fi mode		No	No	No	No	Yes	No
Sleep Mode		No	No	No	No	Yes	No
Fully Collapsible Louvers		Yes	Yes	Yes	Yes	No	No
Mosquito Repellent		No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No



		Desert Coolers			
Model		Grand 52, 72, 92	Grand 52E, 72E, 92E	Victor 47	Victor 55
Unit SAP Code		4810329/331/333	4810330/332/334	4810340	4810341
For rooms upto*	sq.m	40	40	32	43
Air Throw Distance @0.5m/s	m	10.7	10.7	10.7	13.7
Tank Capacity	Litres	52/72/92	52/72/92	47	55
Rated Power Input- Cooling	Watt	190	190	170	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	70.5x103.0x47.5/ 70.5x110.0x47.5/ 70.5x118.0x47.5	70.5x103.0x47.5/ 70.5x110.0x47.5/ 70.5x118.0x47.5	570x795x530	61x112x42.5
Packing Dimensions (WxHxD)	cm	73.0x108.5x51.5/ 73.0x118.0x51.5/ 73.0x124.0x51.5	73.0x108.5x51.5/ 73.0x118.0x51.5/ 73.0x124.0x51.5	585x865x560	68.5x119x47.5
Net Weight	Kg	16.5/17/17.5	16.5/17/17.5	13	15.4
Gross Weight	Kg	19.5/20.5/21.5	19.5/20.5/21.5	15	19.1
Operation		Mechanical	Electronic	Mechanical	Mechanical
Cooling Media		Honeycomb	Honeycomb	Wood Wool	Wood Wool
Fan/Blower		Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	No
Castor Wheels		Yes	Yes	Yes	Yes
Trolley		No	No	Yes	No
Water Level Indicator		Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	Yes
Smart Humidity Control		No	No	No	No
Touch Control		No	No	No	No
Dust Filter		No	No	No	No
Eco-Cool mode		No	Yes	No	No
Pre Soak		No	No	No	No
Wi-Fi mode		No	No	No	No
Sleep Mode		No	No	No	No
Fully Collapsible Louvers		No	No	No	No
Mosquito Repellent		No	No	No	No
Air purifier mode		No	No	No	No
Air Purifier Filter **		No	No	No	No
HEPA Filter Grade		No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No
Activated Carbon Filter		No	No	No	No




		Room Air Coolers				Desert Coolers
Model		Windsor 65, 85	Windsor 65T, 85T	WindMax 115	WindMax 115T	Velocity 110
Unit SAP Code		4810335/337	4810336/339	4810377	4810379	4810394
For rooms upto*	sq.m	39/42	39/42	45	45	60
Air Throw Distance @0.5m/s	m	16.7	16.7	16.7	16.7	15
Tank Capacity	Litres	65/85	65/85	115	115	110
Rated Power Input- Cooling	Watt	210	210	210	210	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	80.9x113.5x44.05/80.9x121.5x44.05	80.9x113.5x44.05/80.9x121.5x44.05	80.9x131.8x44.05	80.9x131.8x44.05	69/128/47
Packing Dimensions (WxHxD)	cm	80x116.5x45/80x124.5x45	80x116.5x45/80x124.5x45	80x136x45	80x136x45	74/126/52
Net Weight	Kg	20.7/21.6	20.7/21.6	24.5	24.5	18.5
Gross Weight	Kg	25/26	25/26	28	28	22.6
Operation		Mechanical	Electronic Touch	Mechanical	Electronic Touch	Mechanical
Cooling Media		Wood Wool + Honeycomb	Wood Wool + Honeycomb	Wood Wool + Honeycomb	Wood Wool + Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Blower	Blower	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	Yes	No
Castor Wheels		Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	Yes
Smart Humidity Control		No	No	No	No	Yes
Touch Control		No	Yes	Yes	Yes	No
Dust Filter		No	No	No	No	Yes
Eco-Cool mode		No	Yes	Yes	Yes	No
Pre Soak		No	Yes	Yes	Yes	No
Wi-Fi mode		No	No	No	No	No
Sleep Mode		No	No	No	No	No
Fully Collapsible Louvers		No	No	No	No	Yes
Mosquito Repellent		Yes	Yes	Yes	Yes	No
Air purifier mode		No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No

*T & C Apply. Room Height assumed as 3mtr **Air cooler can be used as Air Purifier after replacing Honeycomb Pad with composite filter. *Wifi Operation through Mobile Application "Voltas Smart". As a continuing policy of product innovation at Voltas, the design and specification are subjected to change without prior notice. Product images are for illustrative purposes only and may differ from the actual product. The above data is under ideal test conditions and may change based on the room conditions and temperature. All specifications are estimates and may vary within +/- 15% of the above data. Tank capacity is upto the brim.

VOLTAS FreshAir® Coolers

For all your cooling needs.



ROOM AIR COOLERS | **DESERT COOLERS** | **TOWER COOLERS** | **WINDOW COOLERS** | **PERSONAL COOLERS**

Voltas 24x7 Customer Service – 1860 599 4555, 9650694555.

For product registration SMS <WTA> to 9289525321

Visit us at www.myvoltas.com. To locate your nearest store,

log on to: www.myvoltas.com/store-locator


Follow us at



My Voltas



My Voltas



My Voltas



Voltas Limited



My Voltas

CORPORATE HEAD OFFICE: Voltas Limited, Voltas House A, Dr. Babasaheb Ambedkar Road, Chinchpokli, Mumbai – 400033. Phone: 022-6656666. **DELHI:** Voltas Limited, A-43, Mohan Co-operative Industrial Estate, Mathura Road, New Delhi – 110044. Phone: 011-66505550.

In India, E-Waste (Management and Handling) Rules 2016 /w E-Waste Management Amendment Rules 2018 have been notified by the Ministry of Environment, Forests and Climate Change, Government of India. Voltas Limited (Voltas) stands committed to implement E-Waste Rules. Voltas has done tie-up with the Government authorized E-Waste Recycler* for facilitating our Channel partners/customers to dispose off and/or discard Electrical and Electronic Products after its end-of-life (When a product/parts is non-operational or non-repairable) and including spare parts.

The authorized Recycler has expertise in assisting Voltas in fulfilling their compliances related to EPR and E-Waste Management.

Channel partners/customers need to get in touch with Voltas Call Centre (9650694555) to dispose off and/or discard Electrical and Electronic Products after its end-of-life.

Channel partners/ consumers should contribute to resource conservation and prevent potential environmental problems by a simple action — the proper depositing of their old consumer durable products; its accessories or defective spares with authorized Recyclers. E-Waste should be disposed off separately from the general waste stream via designated collection facilities identified by Voltas.

***Features are available in select models only. T&C Apply.**

***As a continuing policy of product innovation at Voltas, the design and specifications are subjected to change without prior notice.**